Mouse Anti-HCV NS-3 Monoclonal Antibody Datasheet

Product Name: mAb anti-HCV NS-3 Clone No.: 5

Catalogue No.: MO-I40018L Quantity: 0.5 mg/vial

Description: Mouse monoclonal antibody (mAb) to

human hepatitis C virus (HCV) non-

structural protein NS-3

Purification: Protein G affinity purified

Product Type: Primary antibody

Target Protein: Human hepatitis C virus (HCV) non-

structural protein NS-3

Purified recombinant chimeric HCV Immunogen:

polyprotein (555 amino acid residues)

Fusion Sp2/0-Ag14

Myeloma:

Specificity: mAb 5 reacts with recombinant NS-3

(residues 1252-1477 on HCV polyprotein)

and recombinant chimeric HCV

polyprotein (60 kDa.)

Species Human hepatitis C virus, others not tested

Reactivity:

Cross -No cross reaction can be seen with

Reactivity: recombinant core protein C + envelop

> protein M (residues 1-142), synthetic core protein C (residues 1-61), synthetic NS-3 protein (residues 1378-1458) and synthetic

NS-4a protein (residues 1689-1735).

Host / Isotype: Mouse, IgG1 Kappa

Formulation: Lyophilized from a solution in 0.01M PBS,

pH 7.2

Reconstitution: Double distillated water is recommended

to adjust the final concentration to

1.00mg/mL.

Storage: Store at -20°C Research Area: Virology

Background:

Hepatitis C virus (HCV) causes chronic hepatitis and liver cirrhosis in human

through blood and body fluid

transmission. HCV has a positive sense

single RNA genome enclosed in the nucleocapsid made of core protein (capsid protein). The nucleocapsid is covered by an envelope made of lipoproteins (E1 and E2). The 9.6 kb HCV genome has a single

open-reading frame, which is to be translated into a single polyprotein. HCV

viral proteins are produced after processing the polyprotein. Genes for core protein and envelop proteins are located adjacently at the 5'-end of HCV genome, followed by genes for nonstructural proteins including NS2, NS3, NS4A, NS4B, NS5, NS5A and NS5B.

Applications: ELISA: React with HCV NS-3

> Western Blot: mAb clone 5, when used at 1-10μg/mL will allow visualization of 100ng/lane of both recombinant chimeric HCV polyprotein and recombinant NS-3 protein. No reaction can be seen with synthetic NS-3. Test was conducted with blots transfer from both reducing and non-

reducing PAGE gel.

References: If research is published using this product,

please inform Anogen in order to cite the reference on this datasheet. Anogen will provide one unit of product in the same

category as gratitude.

This product is for LABORATORY RESEARCH USE and further manufacture ONLY, and cannot be administrated to human and animals for use in diagnostic and therapeutic procedures.

Manufactured by ANOGEN - A Division of YES Biotech Laboratories Ltd.

Page 1 of 1 page(s)

S7.5 (02)