



ANOGEN - A Division of YES Biotech Laboratories Ltd.

2355 Derry Road East, Unit 23, Mississauga, ON, Canada L5S 1V6 • Tel: (905) 677-9221 • Fax: (905) 677-0023

Mouse Anti-Tyrosine 699 Phosphorylated Human STAT5b Monoclonal Antibody Datasheet

Product Name: mAb anti-Tyrosine 699 Phosphorylated Human STAT5b

Clone No.: A2H6

Catalogue No.: MO-P40001B

Quantity: 0.5 mg/vial

Description: Mouse monoclonal antibody against tyrosine 699 phosphorylated human signal transducer and activator of transcription 5b (p-STAT5b).

Purification: Protein G affinity purified

Product Type: Primary antibody

Target Protein: Tyrosine 699 phosphorylated human STAT5b

Immunogen: A tyrosine 699 phosphorylated human STAT5b peptide fragment conjugated with KLH.

Fusion Myeloma: Sp2/0-Ag14

Specificity: Reactive to tyrosine 699 phosphorylated human STAT5b peptide fragment conjugated with KLH or the peptide-BSA conjugate, but not reactive to un-conjugated KLH or BSA.

Species Reactivity: Human, others not tested.

Host / Isotype: Mouse, IgG2b Kappa

Formulation: Lyophilized form from a solution of 0.01M PBS, pH7.0

Reconstitution: Double distilled water is recommended to adjust the final concentration to 1.00mg/mL.

Storage: Store at -20°C. Avoid freeze and thaw cycles.

Research Area: Signal transduction, gene transcription

Background: Stat5b is a transcription factor that is activated in response to extra-cellular stimuli including IL-2, IL-4, MCSF and a variety of growth factors. In the process, receptor associated kinases phosphorylate Stat5b. Stat5b, then, forms dimers and translocates to nucleus. Inside nucleus, Stat5b binds to the promoter region on various genes to regulate biological processes such as apoptosis, T cell receptor signalling, and adult mammary gland development. Fusion of Stat5b to retinoic acid receptor-alpha (RAR α) gene was identified in a small subgroup of acute promyelocytic leukemia patients.

Applications: In indirect ELISA, the antibody is reactive to tyrosine699 phosphorylated human STAT5b peptide fragment conjugated with KLH or the peptide-BSA conjugate. The conjugates were coated to ELISA plate at 1 μ g/ml in pH 9.5 carbonate buffer.

Other applications have not been evaluated.

References: If research is published using this product, please inform Anogen in order to cite the reference on this datasheet. Anogen will provide one unit of product in the same category as gratitude.

This product is for **LABORATORY RESEARCH USE** and further manufacture **ONLY**, and cannot be administered to human and animals for use in diagnostic and therapeutic procedures.

Manufactured by ANOGEN - A Division of YES Biotech Laboratories Ltd.