ANOGEN - A Division of YES Biotech Laboratories Ltd. 2355 Derry Road East, Unit 23, Mississauga, ON, Canada L5S 1V6 • Tel: (905) 677-9221 • Fax: (905) 677-0023

## Mouse Anti-Human p133-CREB Monoclonal Antibody Datasheet

Product Name: mAb anti-Human p133-CREB Catalogue No.: MO-P40003B		Clone No.: B1C4 Quantity: 0.5 mg/vial	
	serine133 phosphorylated human cAMP response element-binding protein (p133- CREB)	Background:	cAMP response element-binding protein (CREB) is a transcription factor that regulates the transcription of a wide
Purification:	Protein G affinity purified		spectrum of genes in response to second massagers (cAMP and Ca++) and cell
Product Type:	Primary antibody		growth or stress signals. The primary
Target Protein:	Serine133 phosphorylated human cAMP response element-binding protein (p133- CREB).		binding sites of CREB on the promoter regions are cAMP response element (CRE) and calcium response element which have a common 5'-TGACGTCA-3' motif. CREB
Immunogen:	Serine133 phosphorylated human CREB peptide fragment conjugated with KLH		can be phosphorylated and activated by cAMP-dependent protein kinase A, calcium/calmodulin-dependent kinase, an
Fusion Myeloma:	Sp2/0-Ag14		kinases in the mitogen-activated kinase (MAPK) and extracelluar signal-regulated kinase (ERK) signal cascade.
Specificity:	Reactive to serine 133 phosphorylated human CREB peptide fragment, and reactive to KLH or BSA conjugated serine 133 phosphorylated human CREB peptide fragment.		CREB plays an important role in neuroplasticity and memory formation by controlling the expression of c-fos, brain- derived neurotrophic factor, tyrosine hydrolase and many neuropeptides.
Species Reactivity:	Not reactive to un-conjugated KLH or BSA. Human, others not tested.	Applications:	In indirect ELISA, the antibody is reactive to serine133 phosphorylated human CREE peptide and reactive to serine133
Host / Isotype:	Mouse, IgG2, Kappa		phosphorylated human CREB peptide conjugated with KLH or BSA. The peptide
Formulation:	Lyophilized from a solution of 0.01M PBS, pH7.0		and the conjugates were coated at 1µg/m in pH 9.5 carbonate buffer.
Reconstitution:	Double distilled water is recommended to adjust the final concentration to 1.00mg/mL.	References:	Other applications have not been evaluated. If research is published using this product,
Storage:	Store at -20°C. Avoid freeze and thaw cycles.	Kelefences.	please inform Anogen in order to cite the reference on this datasheet. Anogen will provide one unit of product in the same category as gratitude.
This product	is for LABORATORY RESEARCH USE and further I animals for use in diagnosti Manufactured by ANOGEN - A Divi	c and therapeutic pr	ocedures.
Page 1 of 1 p	page(s)		S7.5 (02)
	To place order, please contact us by p or with our secure onlin		